








ŠAMOTINIŲ PLYTŲ KATALOGAS FIRECLAY BRICKS CATALOGUE

Standartinės plytos / Straight bricks

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]			Simbolis Item	Paskirtis Designation
	a	b	h		
1,68	230	114	64	1	Standartinės plytos Standart squares
1,98	250	124	64	2	
2,88	300	150	64	3	
2,62	230	150	76	WK	
1,99	230	114	76	WWK	
2,36	250	124	76		
3,42	300	150	76	WS	
1,48	187	124	64		
1,25	114	172	64	0,5W	
2,53	230	172	64	1W	
2,99	250	187	64	2W	
4,32	300	225	64		
3,01	230	172	76	1W-76	
3,55	250	187	76	2W-76	
5,13	300	225	76		
2,62	300	115	76	WWS	
3,39	230	230	64	1X	
4,00	250	250	64		
5,76	300	300	64		
4,02	230	230	76		
4,75	250	250	76		
4,84	300	300	76		
3,93	345	150	76	WD	Rišančios plytos Whelps
2,52	345	114	64	1L	
2,98	375	124	64	2L	
4,32	450	150	64		
2,99	345	114	76	WWD	
3,53	375	124	76	2L-76	
5,13	450	150	76	4	
1,20	230	130	40	K12	Grotinės tiesios plytos Grating straight bricks
2,56	320	100	80	K3	
3,20	320	100	100	K2	
4,00	500	80	100	K5	
					



**ŠAMOTINIŲ PLYTŲ KATALOGAS
FIRECLAY BRICKS CATALOGUE**

Standartinės plytos / Straight bricks

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]			Simbolis Item	Paskirtis Designation	
	a	b	h			
10,32	345	230	130	P-1	Plokštės Tiles	
6,88	460	230	65	P-2		
10,58	460	230	100	P-3		
13,75	460	230	130	P-4		
20,63	460	345	130	P-5		
13,75	460	460	65	P-6		
21,16	460	460	100	P-7		
15,00	600	250	100	P-8		
22,50	600	250	150	P-9		
52,37	690	460	165	P-10		
31,74	690	460	100	P-11		
42,32	920	460	100	P-12		
6,09	375	250	65			
12,66	375	250	135			
5,00	400	250	50			
8,13	500	250	60			
9,38	500	375	50			
12,19	500	375	65			
18,75	500	375	100			
16,25	500	500	65			
20,00	500	500	80			
25,00	500	500	100			
15,63	625	500	50			
28,13	750	375	100			
37,50	750	500	100			
0,52	230	114	20	1-20		Plytelės Splits
0,66	230	114	25	1-25		
0,79	230	114	30	1-30		
0,84	230	114	32	1-32		
1,00	230	114	38	1-38		
1,05	230	114	40	1-40		
1,32	230	114	50	1-50		
0,62	250	124	20	2-20		
0,78	250	124	25	2-25		
0,93	250	124	30	2-30		
0,99	250	124	32	2-32		
1,18	250	124	38	2-38		
1,24	250	124	40	2-40		
1,55	250	124	50	2-50		
1,44	300	150	32	3-32		
1,71	300	150	38	3-38		



ŠAMOTINIŲ PLYTŲ KATALOGAS FIRECLAY BRICKS CATALOGUE

Arkinės plytos / Arch bricks

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]					Simbolis Item	Paskirtis Designation
	a	b	h	l	r		
1,68	67	61	114	230	1197	1L6	Šoninės arkinės plytos Side arches
1,68	69	59	114	230	695	1L10	
1,68	72	56	114	230	413	1L16	
1,68	76	52	114	230	257	1L24	
1,68	77	51	114	230	-	1L26	
1,68	89	39	114	230	-	1L50	
1,99	79	73	114	230	1425	1L6-76	
1,99	81	71	114	230	832	1L10-76	
1,99	84	68	114	230	499	1L16-76	
1,99	88	64	114	230	314	1L24-76	
1,98	67	61	124	250	1302	2L6	
1,98	69	59	124	250	756	2L10	
1,98	72	56	124	250	450	2L16	
1,98	76	52	124	250	279	2L24	
1,98	77	51	124	250	253	2L26	
1,68	117	111	230	64	4350	1P6	Plokščios arkinės plytos Key arches
1,68	119	109	230	64	2533	1P10	
1,68	121	107	230	64	1791	1P14	
1,68	128	100	230	64	839	1P28	
1,68	139	89	230	64	419	1P50	
1,68	156	72	230	64	200	1P84	
1,99	119	109	230	76	2553	1P10-76	
1,99	121	107	230	76	1791	1P14-76	
1,99	128	100	230	76	838	1P28-76	
1,99	139	89	230	76	419	1P50-76	
1,98	129	119	250	64	3025	2P10	
1,98	131	117	250	64	2125	2P14	
1,98	138	110	250	64	1000	2P28	
1,98	149	99	250	64	505	2P50	



ŠAMOTINIŲ PLYTŲ KATALOGAS FIRECLAY BRICKS CATALOGUE

Arkinės plytos / Arch bricks

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]					Simbolis Item	Paskirtis Designation	
	a	b	h	l	r			
1,68	66	62	230	114	3680	1S4	Vertikalios arkinės plytos End arches	
1,68	67	61	230	114	2450	1S6		
1,68	69	59	230	114	1405	1S10		
1,68	72	56	230	114	835	1S16		
1,68	76	52	230	114	520	1S24		
1,68	77	51	230	114	478	1S26		
1,68	90	38	230	114	181	1S52		
1,99	78	74	230	114	4370	1S4-76		
1,99	81	71	230	114	1679	1S10-76		
1,99	84	68	230	114	1006	1S16-76		
1,99	88	64	230	114	633	1S24-76		
1,98	66	62	250	124	4000	2S4		
2,02	68	62	250	124	2600	2S6		
1,98	69	59	250	124	1525	2S10		
1,98	72	56	250	124	906	2S16		
1,98	76	52	250	124	563	2S24		
1,98	77	51	250	124	519	2S26		
1,98	89	39	250	124	205	2S50		
2,02	91	39	250	124	197	2S52		
1,98	77	51	250	124	510			
1,98	83	45	250	124	309			
2,53	66	62	230	172	3680	1WS4		Vertikalios rišančios arkinės plytos End arch bonders
2,53	67	61	230	172	2450	1WS6		
2,53	69	59	230	172	1405	1WS10		
2,53	72	56	230	172	835	1WS16		
2,53	76	52	230	172	520	1WS24		
2,53	89	39	230	172	189	1WS50		
3,01	78	74	230	172	4370	1WS4-76		
3,01	81	71	230	172	1679	1WS10-76		
3,01	84	68	230	172	1006	1WS16-76		
3,01	88	64	230	172	633	1WS24-76		
2,99	66	62	250	187	4000			
3,04	68	62	250	187	2600	2WS6		
2,99	69	59	250	187	1525	2WS10		
2,99	72	56	250	187	906	2WS16		
2,99	76	52	250	187	536	2WS24		
2,99	89	39	250	187	205	2WS50		
2,99	77	51	250	187	519	2WS26		
3,04	91	39	250	187	197	2WS52		



ŠAMOTINIŲ PLYTŲ KATALOGAS
FIRECLAY BRICKS CATALOGUE

Arkinės plytos / Arch bricks

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]					Simbolis Item	Paskirtis Designation
	a	b	h	l	r		
3,39	66	62	230	230	3680	1X4	Dvigubos vertikalios arkinės plytos Double arch bricks
3,39	69	59	230	230	1403	1X10	
3,39	72	56	230	230	864	1X16	
3,39	76	52	230	230	518	1X24	
3,39	89	39	230	230	189	1X50	
4,02	78	74	230	230	4370	1X4-76	
4,02	81	71	230	230	1679	1X10-76	
4,02	84	68	230	230	1006	1X16-76	
4,02	88	64	230	230	633	1X24-76	
4,00	66	62	250	250	4000	4S4	
4,00	69	59	250	250	1525	4S10	
4,00	72	56	250	250	906	4S16	
4,00	76	52	250	250	563	4S24	
4,00	89	39	250	250	205	4S50	
4,00	77	51	250	250	510	4S26	
4,00	83	45	250	250	309	4S38	
0,91	65	59	64	230	650	1NK6	Horizontalios arkinės plytos Side arches
0,91	69	55	64	230	260	1NK14	
0,91	77	47	64	230	104	1NK30	
1,01	66	58	65	250	490	2NK8	
1,01	71	53	65	250	400	2NK18	
1,01	78	46	65	250	100	2NK32	

ŠAMOTINIŲ PLYTŲ KATALOGAS FIRECLAY BRICKS CATALOGUE

Arkinės plytos elektrinių krosnių stogams / Arch bricks for electric furnace roofs


Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]								Simbolis Item	Paskirtis Designation	
	a	b	c	d	l		h	pr ^{sf}			
1,98	71	65	93	85	132	120	200	2000	KR20	Sferinės, žiedinės arkinės plytos Double wedges	
1,93	72	67	89	84	128	120	200	3000	KR30		
2,45	73	67	91	84	130	120	250	3000	KR32		
2,40	72	68	87	82	128	120	250	4000	KR42		
2,90	73	68	88	82	129	120	300	4000	KR43		
2,37	72	68	86	82	126	120	250	5000	KR52		
2,86	72	68	87	82	127	120	300	5000	KR53		
2,32	71	68	86	82	125	120	250	6000	KR62		
2,84	72	68	86	82	126	120	300	6000	KR63		
2,34	71	68	85	82	125	120	250	7000	KR72		
2,82	71	68	86	82	125	120	300	7000	KR73		
3,31	72	68	86	82	126	120	350	3311	KR74		
2,80	71	68	85	82	124	120	300	9000	KR93		
1,99	83	75	-	-	132	120	200	2000	R20		Sferinės, sluoksninės arkinės plytos Dome wedges
1,92	80	75	-	-	128	120	200	3000	R30		
2,44	81	75	-	-	130	120	250	3000	R32		
2,40	80	75	-	-	128	120	250	4000	R42		
2,91	81	75	-	-	129	120	300	4000	R43		
2,37	79	75	-	-	126	120	250	5000	R52		
2,87	80	75	-	-	127	120	300	5000	R53		
2,36	79	75	-	-	125	120	250	6000	R62		
2,84	79	75	-	-	126	120	300	6000	R63		
2,34	78	75	-	-	125	120	250	7000	R72		
2,81	78	75	-	-	125	120	300	7000	R73		
3,31	79	75	-	-	126	120	350		R74		
2,80	78	75	-	-	124	120	300	9000	R93		

Pr^{sf} – sferos spindulys

Pr^{sf} – dome radius

ŠAMOTINIŲ PLYTŲ KATALOGAS FIRECLAY BRICKS CATALOGUE


Arkinės plytos rotacinėms krosnims / Arch bricks shapes for rotary kilns

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]					Simbolis Item	Paskirtis Designation
	a	b	h	l	r		
3,99	103	80	220	198	2003	222	Arkinės plytos rotacinėms krosnims Brick shapes for the rotary kilns
4,16	103	88	220	198	3071	322	
4,25	103	92	220	198	4006	422	
4,29	103	94	220	198	5119	522	
4,33	103	96	220	198	6142	622	
4,36	103	96,5	220	198	7087	722	
4,336	103	97,3	220	198	8082	822	
3,59	85	80	220	198	-	22	
2,82	68	64	220	198	-	P22	
3,22	78	70	220	198	-	22Z	
4,46	103	77	250	198	2020	225	
4,68	103	86	250	198	2920	325	
4,78	103	90	250	198	4000	425	
4,85	103	93	250	198	5083	525	
4,90	103	95	250	198	6158	625	
4,92	103	96	250	198	7500	725	
4,95	103	97	250	198	8054	825	
4,08	85	80	250	198	-	25	
3,27	68	64	250	198	-	P25	
3,56	78	70	250	198	-	25Z	
5,20	103	72	300	198	1994	230	
5,49	103	82	300	198	3000	330	
5,64	103	87	300	198	3940	430	
5,76	103	91	300	198	5026	530	
5,82	103	93	300	198	5983	630	
5,85	103	94	300	198	7000	730	
5,91	103	96	300	198	8054	830	
4,90	85	80	300	198	-	30	
3,92	68	64	300	198	-	P30	
4,34	78	68	300	198	-	30Z	
6,27	103	78	350	198	-	335	
6,62	103	88	350	198	-	535	

r – spindulys esant 2 mm siūlei
r – radius with 2 mm joint




ŠAMOTINIŲ PLYTŲ KATALOGAS FIRECLAY BRICKS CATALOGUE

Arkinės plytos rotacinėms krosnims / Arch bricks shapes for rotary kilns

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]					Simbolis Item	Paskirtis Designation
	a	b	h	l	r		
2,72	103	93	140	198	2940	314	Arkinės plytos rotacinėms krosnims Bricks shapes for rotary kilns
2,79	103	98	140	198	5900	614	
2,84	103	88	150	198	2026	215	
2,91	103	93	150	198	2991	315	
2,94	103	95	150	198	3936	415	
2,97	103	97	150	198	5235	515	
2,98	103	98	150	198	6282	615	
2,45	85	80	150	198	-	15	
1,96	68	64	150	198	-	P15	
2,99	103	86	160	198	1971	216	
3,04	103	92	160	198	3076	316	
3,14	103	95	160	198	3942	416	
3,17	103	97	160	198	5154	516	
3,18	103	97,5	160	198	6092	616	
3,18	103	98,3	160	198	7129	716	
2,61	85	80	160	198	-	16	
2,09	68	64	160	198	-	P16	
3,33	103	84	180	198	1984	218	
3,46	103	91	180	198	3046	318	
3,51	103	94	180	198	3968	418	
3,55	103	96	180	198	5026	518	
3,56	103	97	180	198	6282	618	
3,58	103	98	180	198	7112	718	
2,94	85	80	180	198	-	18	
2,35	68	64	180	198	-	P18	
2,67	78	72	180	198	-	18Z	
3,66	103	82	200	198	1994	220	
3,80	103	89	200	198	2991	320	
3,88	103	93	200	198	3989	420	
3,92	103	95	200	198	5046	520	
3,94	103	96	200	198	6159	620	
3,96	103	97	200	198	6980	720	
3,98	103	98	200	198	8054	820	
3,27	85	80	200	198	-	20	
2,61	68	64	200	198	-	P20	
2,95	78	71	200	198	4600	20Z	


r – spindulys esant 2 mm siūlei
r – radius with 2 mm joint

Arkinės plytos liejimo pramonei / Arch bricks for the foundry industry

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]					Simbolis Item	Paskirtis Designation	
	a	b	h	l	r			
1,96	225	200	115	80	930	KD11		
2,00	225	210	115	80	1630	KD12		
2,59	225	192	155	80	910	KD13		
2,66	225	204	155	80	1520	KD14		
3,17	225	204	185	80	1810	KD15		
1,48	225	185	90	80	420	KD16		
1,57	225	210	90	80	1270	KD17		
1,98	221	210	115	80	-	KD12S		
2,63	220	204	155	80	-	KD14S		
1,09	80	66	65	230	310	KD3		
1,16	80	75	65	230	990	KD4		
1,48	80	63	90	230	340	KD5		
1,60	80	75	90	230	1380	KD6		
1,89	80	63	115	230	436	KD7		
2,05	80	75	115	230	1770	KD8		
2,27	80	61	140	230	450	KD9		
2,46	80	73	140	230	1460	KD10		
2,81	129	121	90	250	1384			
2,81	134	116	90	250	590			
2,-81	138	112	90	250	395			
2,80	143	106	90	250	263			
3,88	130	120	124	250	1513			
3,88	137	113	124	250	594			
3,88	105	95	155	250	1504			
3,88	110	90	155	250	713			
4,68	104	96	187	250	2291			
4,68	106	94	187	250	1456			
4,68	111	89	187	250	774			
5,50	104	96	220	250	2695			
5,56	108	94	220	250	1293			
5,50	111	89	220	250	910			
6,25	105	95	250	250	2426			
6,25	109	91	250	250	1292			
6,25	113	87	250	250	856			
7,00	106	94	280	250	2240			
7,00	109	91	280	250	1447			




r – spindulys esant 2 mm siūlei
r – radius with 2 mm joint

Plytos liejimo pramonei / Bricks for the foundry industry

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]					Simbolis Item	Paskirtis Designation
	a	b	h	l	r		
1,58	200	189	90	90	1560		
1,46	200	160	90	90	365		
2,17	200	185	125	90	1560		
2,00	200	156	125	90	450		
1,94	120	107	190	90	1590		
2,58	160	142	190	90	1520		
1,88	120	100	190	90	970		
2,51	160	134	190	90	990		
3,59	187	-	155	124	-	B1	
6,09	210	-	187	155	-	B2	
6,28	340	-	210	88	-	B3	
2,88	120	-	80	300	-	KD1	
3,84	160	-	80	300	-	KD2	



r – spindulys esant 2 mm siūlei
r – radius with 2 mm joint

Atraminės plytos / Skow bricks

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]					Kampas / Corner a [°]	Simbolis Item	Paskirtis Designation
	a	b	h	l	s			
3,67	250	154	270	65	39	67	201	Vertikalių arkinių plytų atramos End skew bricks
6,94	250	154	270	123	39	67	202	
3,24	250	112,5	260	64	51	56°36'		
3,45	250	154	260	64	29	67°23'		
6,28	250	112,5	260	124	51	56°36'		
6,68	250	154	260	124	29	67°23'		
3,04	250	135	233	65	33	60	203	
2,50	250	52	233	65	33	45	204	
2,45	250	50	233	64	33	45		
5,51	230	115	262	114	62	60	102	
16,82	230	155	262	345	62	60	103	
5,78	230	140	262	114	50	67°30'	104	
4,72	230	115	230	114	30	60		
3,61	230	68	196	114	34	45	101	
5,30	250	100	290	100	30	60		
6,80	187	132	165	250	32	67	20L2	
4,16	123	68	165	250	32	67	20L1	
2,98	113	68	135	230	32	60	10L2	
2,73	113	33	135	230	50	45	10L1	
5,20	187	133	130	250	-	67°23'		
4,68	187	101	130	250	-	56°36'		
3,15	124	70	130	250	-	67°23'		
2,63	124	38	130	250		56°36'		

ŠAMOTINIŲ PLYTŲ KATALOGAS FIRECLAY BRICKS CATALOGUE

Forminės plytos šachtinėms krosnims, kaitintuvams, didelėms krosnims Brick shapes for shaft furnaces, hot blast stove, blast furnace

Tūris / Volume [dm ³]	Matmenys / Dimensions [mm]					Simbolis Item	Paskirtis Designation
	a	b	h	g ²⁾	r		
3,93	150	-	345	76	-	WD	Tiesios plytos
3,02	115	-	345	76	-	WWD	
3,42 •	150	-	300	76	-	WS	
2,60	114	-	300	76	-	WWS	
2,62	150	-	230	76	-	WK	
1,99	114	-	230	76	-	WWK	
3,74	150	135	345	76	3105	WKD15	Plokščios arkinės plytos
3,61	150	125	345	76	1725	WKD25	
3,41	150	110	345	76	1135	WKD40	
3,25	150	135	300	76	2700	WKS15	
3,14	150	125	300	76	1500	WKS25	
2,91	150	105	300	76	700	WKS45	
2,49	150	135	230	76	2070	WKK15	
2,40	150	125	230	76	920	WKK30	
2,27	150	110	230	76	630	WKK40	

r- vidinis spindulys esant 1 mm siūlei

r- radius inside with 1 mm joint

g²⁾ – pagal užsakymą taip pat ir 75, 80, 96 mm

g²⁾ – of need customers 75, 80, 96 mm